

CLICK HERE TO JUMP TO USE DIRECTIONS



TEREMEC[®] SP

2.9F FUNGICIDE

- No known resistance to pythium
- Stops pythium fast

TEREMEC[®] SP 2.9F FUNGICIDE is used for the control of TYPHULA BLIGHT (SNOW MOLD), PYTHIUM BLIGHT, RHIZOCTONIA (BROWN PATCH), SCLEROTIUM BLIGHT and CYLINDROCLADIUM on turfgrasses, ferns, ornamentals

ACTIVE INGREDIENT:
Chloroneb (1,4-dichloro-2,5 dimethoxybenzene) 30%

INERT INGREDIENTS: 70%

TOTAL 100%

Contains 2.9 lb. of Chloroneb per gallon.
U.S. Pat. No. 3,265,564

KEEP OUT OF REACH OF CHILDREN
CAUTION



READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

First Aid	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for advice. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Have person sip a glass of water if able to swallow. • Do not give anything by mouth to an unconscious person.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment

Some materials that are chemical-resistant to this product are natural rubber. If you want more options, follow the instructions for category A on EPA chemical-resistance category selection chart.

All mixers, loaders, applicators, and other handlers must wear:

- long sleeved shirt, long pants
- socks plus shoes,
- chemical resistant gloves,
- and a chemical-resistant apron when mixing/loading, cleaning up spills, cleaning equipment, or otherwise exposed to the concentrate.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

- User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is toxic to aquatic organisms. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Physical Or Chemical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE), notification to workers and Restrictive Entry Interval (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow workers entry into treated areas during Restrictive Entry Interval (REI) of 12 hours.

Personal Protective Equipment required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: (A) coveralls (B) chemical resistant gloves such as natural rubber (C) shoes plus socks.

In California, apply only with closed system equipment.

General Information

TEREMEC[®] SP 2.9F FUNGICIDE is used for the control of Typhula Blight (Snow Mold), Pythium Blight, Rhizoctonia (Brown Patch), Sclerotium Blight and Cylindrocladium on turfgrasses, ferns, and ornamentals.

Where to Use:

This contact fungicide provides disease control in cool season and warm season turfgrass established in these sites only:

- golf course tees, greens, collars, and aprons
- as a spot treatment on fairways (maximum 5% of fairway area)
- athletic fields used only by professional athletes

Prohibitions of sites:

Do not apply this product on these sites:

- residential lawns and residential turf,
- lawns and turf at parks and schools

Turf Diseases

Typhula Blight (Gray Snow Mold): For control of Typhula Blight, apply 10.5 to 16 fl. oz. per 1000 sq. ft. in sufficient water to give complete coverage, usually 3 to 5 gallons. Apply as a spray as late in the fall as possible prior to snowfall.

Pythium Blight (Cottony Blight) and Sclerotium Blight: For control of Pythium Blight and Sclerotium Blight on established turf, apply a preventative rate of 7 fl. oz. per 1000 sq. ft. in 3 to 5 gallons of water. Apply during periods of high temperature and humidity favorable to the development of the diseases. Repeat in 5 to 7 days if conditions persist.

For control of Pythium Blight and Sclerotium Blight on new seedlings, apply 7 fl. oz. per 1000 sq. ft. following emergence. If conditions remain favorable to development of the diseases, repeat in 7 to 10 days.

Rhizoctonia Blight (Brown Patch): For warm season lawns and turfs (such as zoysiagrass, St. Augustinegrass, bermudagrass and similar grasses) apply in the fall or spring at the first signs of infection. Apply 9 fl. oz. per 1000 sq. ft. in 10 to 15 gallons water. Make a second application in 3 to 4 weeks if the disease is severe or reappears.

For cool season lawns and turf (such as creeping bentgrass, annual bluegrass, fescue and similar grasses) apply at first signs of infection. Apply 5 to 7 fl. oz. per 1000 sq. ft. in 3 to 5 gallons of water. Reapply every 7 to 10 days during warm, damp weather.

Limitations for use:

- The maximum number of applications is limited to 6 per year: 4 applications at 7 fl. oz./1000 sq. ft. and 2 applications at 16 fl. oz./1000 sq. ft.
- The maximum seasonal rate is 60 fl. oz. of product per 1000 sq. ft. per year.
- Observe a minimum retreatment interval of 14 days between applications.
- Do not graze or feed clippings from treated areas to livestock.

Spray Treatment For Leatherleaf And Similar Ferns And Ornamentals

Conventional Spraying Systems: TEREMEC SP 2.9F FUNGICIDE may be applied through conventional tank spraying systems for the control of Rhizoctonia Blight on leatherleaf and similar ferns, and for Cylindrocladium Cutting Rot on miniature roses, azaleas and similar woody ornamentals.

Maintenance Spray: To control Rhizoctonia Blight, mix thoroughly 84.5 fl. oz. in 40 to 50 gallons of water to spray one acre. Spray to run-off. Repeat in one month: during periods favoring the development of the fungi, repeat at two-week intervals.

Outbreak Spray: For spot areas where severe disease outbreaks occur, mix thoroughly 169 fl. oz. in 40 to 50 gallons of water to spray one acre and proceed as outlined for Maintenance Spray.

Foliar Spray Treatment For Field Use On Leatherleaf And Similar Ferns

Maintenance Spray: To control Rhizoctonia Blight, mix thoroughly 84.5 fl. oz. in 40 to 50 gallons water to spray one acre. Before injecting the TEREMEC SP 2.9F FUNGICIDE mixture into the chemigation system, run the system long enough to wet the foliage. Inject the TEREMEC SP 2.9F FUNGICIDE mixture into the system and continue spraying to run-off. Repeat in one month: during periods favoring the development of the fungi, repeat at two week intervals.

Outbreak Spray: For spot areas where severe disease outbreaks occur, mix thoroughly 169 fl. oz. in 40 to 50 gallons water to spray one acre [3.8 lb. ai/A] and proceed as outlined for Maintenance Spray.

Foliar Spray Treatment For Field Use On Ornamentals

To control Cylindrocladium Cutting Rot on miniature roses, azaleas, and similar ornamentals use the same dosage rates and procedures as given above for ferns.

Chemigation Systems

GENERAL

Apply this product only through solid set or overhead sprinkler irrigation systems. Do not apply this product through any other type of irrigation system.

Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.

If you have questions about calibration, you should contact State Extension Service specialists, equipment manufacturers or other experts.

Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label prescribed safety devices for public water systems are in place.

A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

PUBLIC WATER SYSTEMS

Public water system means a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days of the year.

Chemigation systems connected to public water systems must contain a functional, reduced-pressure zone (RPZ), backflow preventer or the functional equivalent in the water supply line upstream from the point of pesticide introduction. As an option to the RPZ, the water from the public water system should be discharged into a reservoir tank prior to pesticide introduction. There shall be a complete physical break (air gap) between the outlet and the reservoir tank of at least twice the inside diameter of the fill pipe.

The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.

The pesticide injection pipeline must contain a functional, normally closed, solenoid operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.

The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops or in cases where there is no water pump, when the water pressure decreases to the point where pesticide distribution is adversely affected.

Systems must use a metering-pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift beyond the area intended for treatment.

SPRINKLER SYSTEMS

The system must contain a functional check valve, vacuum relief valve, and low-pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.

The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.

The pesticide injection pipeline must also contain a functional, normally closed, solenoid operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.

The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.

The irrigation line or water pump must include a functional pressure switch, which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

Systems must use a metering-pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift beyond the area intended for treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container and keep sealed. Store in closed storage areas. DO NOT FREEZE.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LIMITED WARRANTY AND DISCLAIMER

IMPORTANT: Read this LIMITED WARRANTY AND DISCLAIMER before buying or using this product. By opening and using this product, buyer and all users agree to accept the terms of this LIMITED WARRANTY AND DISCLAIMER in their entirety and without exception. If the terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full.

It is impossible to eliminate all risks inherently associated with use of this product. Damage to the treated article, ineffectiveness, or other unintended consequences can result from use of the product under abnormal conditions such as weather, presence of other materials, or the manner or use of application, etc. Such factors and conditions are beyond the control of the manufacturer, and BY PURCHASING AND USING THIS PRODUCT THE BUYER AND ALL USERS OF THIS PRODUCT AGREE TO ACCEPT ALL SUCH RISKS. Buyer and all users further agree to assume all risks of loss or damage from the use of the product in any manner that is not explicitly set forth in or that is inconsistent with label instructions, warnings and cautions.

The manufacturer warrants only that this product conforms to the chemical description given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use, subject to the inherent risks described below. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED.

THE EXCLUSIVE REMEDY OF BUYER AND ALL USERS OF THIS PRODUCT, AND THE EXCLUSIVE LIABILITY OF THE MANUFACTURER, FOR ANY AND ALL LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OF HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OR THE REPAYMENT OF THE PURCHASE PRICE FOR THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THE PRODUCT. The Manufacturer must be promptly notified in writing of any claims, whether based in contract, tort, negligence, strict liability, or otherwise, to be eligible to receive either remedy stated above.

The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere. No employee or agent of the manufacturer or seller is authorized to vary or exceed the terms of this LIMITED WARRANTY AND DISCLAIMER in any manner.

TEREMEC® is a registered trademark of PBI/Gordon Corporation.

746/4-2009 AP031009
EPA REG. NO. 73782-4-2217



MANUFACTURED FOR
PBI/GORDON CORPORATION
1217 WEST 12TH STREET
KANSAS CITY, MISSOURI 64101
www.pbigordon.com